Dixon Type DC Dust Caps

Features:

- Finger rings are not supplied on ½" 1" Dixon couplings.
- ½" Dixon has only one cam arm.
- Couplers are supplied standard with a Buna-N gasket. Other gasket types are available on pages 74-76







356T6 aluminum

aluminum hard coat

brass

Size	356T6 Aluminum		Aluminum Hard Coat		Brass	
	Part #	Price/E	Part #	Price/E	Part #	Price/E
1/2"	50-DC-AL	\$23.00			50-DC-BR	\$34.25
3/4"	75-DC-AL	25.20			75-DC-BR	45.30
1"	100-DC-AL	24.85			100-DC-BR	52.00
11/2"	150-DC-AL	31.95	150-DC-ALH	\$47.00	150-DC-BR	77.00
2"	200-DC-AL	30.20	200-DC-ALH	48.00	200-DC-BR	72.00
21/2"	250-DC-AL	54.20				
3"	300-DC-AL	41.10	300-DC-ALH	65.30	300-DC-BR	105.00
4"	400-DC-AL	54.00	400-DC-ALH	96.50	400-DC-BR	153.00
5"	500-DC-AL	86.40			500-DC-BR	336.00
6"	600-DC-AL	132.80	600-DC-ALH	205.00		
8"	800-DC-AL 1	534.00				



Dixon and Boss-Lock cam and groove couplings do not interchange in the 8" and $\frac{1}{2}"$ sizes. The 8" Dixon dust cap has 2 cam arms.







316 stainless

Size	Unplated Malleable Iron		316 Stainless Steel		
	Part #	Price/E	Part #	Price/E	
1/2"			50-DC-SS	\$66.95	
3/4"			75-DC-SS	63.75	
1"			100-DC-SS	71.50	
1½"			150-DC-SS	89.00	
2"	200-DC-MI	\$53.00	200-DC-SS	105.00	
21/2"			250-DC-SS	209.00	
3"	300-DC-MI	67.20	300-DC-SS	133.00	
4"	400-DC-MI	106.00	400-DC-SS	195.00	
5"			500-DC-SS	415.00	
6"			600-DC-SS	490.00	

Dust Cap with Pull Handles for Hose Tubes



- Handles make it easier for tanker operators to remove delivery hoses from the storage tubes;
 the operator grabs the handle and easily pulls the hose out.
- rugged construction protects the hose coupling and adapter from damage during transportation and the removal of hoses from the hose storage tube
- prevents possible environmental issues due to leaking residue left in an open hose
 Materials:
- aluminum body, brass cam arms, Buna seal





Dust caps and dust plugs are not to be used in pressure applications for safety and environmental reasons.