



Create Your Individual 3D PDF Datasheet

Learn How to Create Your Mechanical Product Catalog

Learn How to Create Your BIM Product Catalog

Reduce Your Costs in Engineering and Purchasing


# 125524

## VSC Intermediate Duty 4-Bolt Flange Bearings

BALDOR • DODGE

### 3D View

To activate the interactive 3D view, you must trust this document (see hint on the top) in Adobe Acrobat and click on the question mark.



#### Zoom

Moves you toward or away from objects in the scene when you drag vertically. You can also zoom with the hand tool by holding down Shift as you drag.



#### Pan

Moves the model vertically and horizontally only. You can also pan with the hand tool: Ctrl-drag.



#### Rotate

Turns 3D objects around relative to the screen. How the objects move depends on the starting view, where you start dragging and the direction in which you drag.

## 3D PDF DATASHEET

Create Your Individual 3D PDF  
Datasheet



 **eCATALOG**solutions

Learn How to Create Your  
Mechanical Product Catalog



 **BIM** catalogs.net

Learn How to Create Your BIM  
Product Catalog



 **PART**solutions

Reduce Your Costs in  
Engineering and Purchasing







# 125524

## VSC Intermediate Duty 4-Bolt Flange Bearings

**BALDOR • DODGE**

### 2D Derivation

### ISO View




## 3D PDF DATASHEET

Create Your Individual 3D PDF  
Datasheet



eCATALOG solutions



BIM catalogs.net



PART solutions




Reduce Your Costs in  
Engineering and Purchasing

# 125524

## VSC Intermediate Duty 4-Bolt Flange Bearings

BALDOR • DODGE

### Technical Drawings



NOTES:

GREASE USED:  
EXXON UNIREX N2

SEAL TYPE:  
PROGUARD LIP SEAL

## 3D PDF DATASHEET

Create Your Individual 3D PDF  
Datasheet



 **eCATALOG**solutions

Learn How to Create Your  
Mechanical Product Catalog



 **BIM** catalogs.net

Learn How to Create Your BIM  
Product Catalog



 **PART**solutions

Reduce Your Costs in  
Engineering and Purchasing



# 125524

## VSC Intermediate Duty 4-Bolt Flange Bearings

**BALDOR • DODGE**

### Technical Data

|                           |             |
|---------------------------|-------------|
| RS (Series)               | 203         |
| SS (Shaft Size / INCH)    | 1/2         |
| PN (Part No.)             | 125524      |
| DESCRIPTION (Description) | F4B-VSC-008 |
| LF (Lubrication Feature)  | RE-LUBE     |
| WEIGHT (Weight / lbs)     | 1.08        |
| A (A / INCH)              | 1.00        |
| B (B / INCH)              | 3.00        |
| C (C / INCH)              | 1.17        |
| D (D / INCH)              | 2.13        |
| F (F / INCH)              | 3/8         |
| H (H / INCH)              | 0.44        |
| J (J / INCH)              | 0.32        |
| L (L / INCH)              | 0.96        |
| N (N / INCH)              | 1.69        |

## 3D PDF DATASHEET

Create Your Individual 3D PDF  
Datasheet



 **eCATALOG**solutions

Learn How to Create Your  
Mechanical Product Catalog



 **BIM** catalogs.net

Learn How to Create Your BIM  
Product Catalog



 **PART**solutions

Reduce Your Costs in  
Engineering and Purchasing



# 125524

## VSC Intermediate Duty 4-Bolt Flange Bearings

**BALDOR • DODGE**

### Bill of Materials

| N°  | Name            | Description | Amount |
|-----|-----------------|-------------|--------|
| 1   | assembly        | 125524      | 1      |
| 1.1 | f4b_flange_bodi | 125524vsc   | 1      |
| 1.2 | vsc_ins_inch    | 389923      | 1      |
| 1.3 | 405020c         | 405020c     | 1      |