

3D PDF DATASHEET



Create Your Individual 3D PDF Datasheet

Learn How to Create Your Mechanical Product Catalog

Learn How to Create Your BIM Product Catalog

Reduce Your Costs in Engineering and Purchasing


125562

VSC Intermediate Duty Wide Slot Take-Up Bearings

BALDOR • DODGE

3D View

To activate the interactive 3D view, you must trust this document (see hint on the top) in Adobe Acrobat and click on the question mark.



Zoom

Moves you toward or away from objects in the scene when you drag vertically. You can also zoom with the hand tool by holding down Shift as you drag.



Pan

Moves the model vertically and horizontally only. You can also pan with the hand tool: Ctrl-drag.




Rotate

Turns 3D objects around relative to the screen. How the objects move depends on the starting view, where you start dragging and the direction in which you drag.

3D PDF DATASHEET



eCATALOGsolutions



BIM catalogs.net



PARTsolutions



Create Your Individual 3D PDF
Datasheet



Learn How to Create Your
Mechanical Product Catalog



Learn How to Create Your BIM
Product Catalog



Reduce Your Costs in
Engineering and Purchasing




125562


VSC Intermediate Duty Wide Slot Take-Up Bearings

BALDOR • DODGE

2D Derivation



ISO View



3D PDF DATASHEET

Create Your Individual 3D PDF
Datasheet



 **eCATALOG**solutions

Learn How to Create Your
Mechanical Product Catalog



 **BIM** catalogs.net

Learn How to Create Your BIM
Product Catalog



 **PART**solutions

Reduce Your Costs in
Engineering and Purchasing




125562

VSC Intermediate Duty Wide Slot Take-Up Bearings

BALDOR • DODGE

Technical Drawings



NOTES:

*GREASE USED:
EXXON UNIREX N2*

*SEAL TYPE:
PROGUARD LIP SEAL*

3D PDF DATASHEET

Create Your Individual 3D PDF
Datasheet



 **eCATALOG**solutions

Learn How to Create Your
Mechanical Product Catalog



 **BIM**catalogs.net

Learn How to Create Your BIM
Product Catalog



 **PART**solutions

Reduce Your Costs in
Engineering and Purchasing



125562

VSC Intermediate Duty Wide Slot Take-Up Bearings

BALDOR • DODGE

Technical Data

RS (Series)	210
SS (Shaft Size / INCH)	1-15/16
PN (Part No.)	125562
DESCRIPTION (Description)	WSTU-VSC-115
WEIGHT (Weight / lbs)	6.4
A (A / INCH)	1.94
B (B / INCH)	5.82
C (C / INCH)	0.688
D (D / INCH)	3.38
E (E / INCH)	3.56
F (F / INCH)	1
G (G / INCH)	0.63
H (H / INCH)	0.75
J (J / INCH)	3.25
K (K / INCH)	1.94
L (L / INCH)	2.43
M (M / INCH)	3.985/4.015
N (N / INCH)	4.75
R (R / INCH)	0.75
S (S / INCH)	1.19
T (T / INCH)	1.94

3D PDF DATASHEET

Create Your Individual 3D PDF
Datasheet



 **eCATALOG**solutions

Learn How to Create Your
Mechanical Product Catalog



 **BIM** catalogs.net

Learn How to Create Your BIM
Product Catalog



 **PART**solutions

Reduce Your Costs in
Engineering and Purchasing



125562

VSC Intermediate Duty Wide Slot Take-Up Bearings

BALDOR • DODGE

Bill of Materials

N°	Name	Description	Amount
1	assembly	125562	1
1.1	tkp_ws_vsc_bodi	125545vscwd	1
1.2	405016	405016	1
1.3	vsc_ins_inch	389931	1