


3D PDF DATASHEET



Create Your Individual 3D PDF Datasheet



Learn How to Create Your Mechanical Product Catalog



Learn How to Create Your BIM Product Catalog



Reduce Your Costs in Engineering and Purchasing




126606

D-LOK

BALDOR • DODGE

3D View

To activate the interactive 3D view, you must trust this document (see hint on the top) in Adobe Acrobat and click on the question mark.



Zoom

Moves you toward or away from objects in the scene when you drag vertically. You can also zoom with the hand tool by holding down Shift as you drag.



Pan

Moves the model vertically and horizontally only. You can also pan with the hand tool: Ctrl-drag.




Rotate

Turns 3D objects around relative to the screen. How the objects move depends on the starting view, where you start dragging and the direction in which you drag.

3D PDF DATASHEET



 **eCATALOG**solutions



 **BIM** catalogs.net



 **PART**solutions



Create Your Individual 3D PDF
Datasheet 

Learn How to Create Your
Mechanical Product Catalog 

Learn How to Create Your BIM
Product Catalog 


Reduce Your Costs in
Engineering and Purchasing 

126606


D-LOK

BALDOR • DODGE

2D Derivation



ISO View



3D PDF DATASHEET



Create Your Individual 3D PDF
Datasheet

Learn How to Create Your
Mechanical Product Catalog

Learn How to Create Your BIM
Product Catalog


Reduce Your Costs in
Engineering and Purchasing

126606

D-LOK

BALDOR • DODGE

Technical Drawings



NOTES:

GREASE USED:
EXXON UNIREX N2

SEAL TYPE:
DUAL GUARD LIP SEAL
W/ RUBBERIZED FLINGER

3D PDF DATASHEET

Create Your Individual 3D PDF
Datasheet



 **eCATALOG**solutions

Learn How to Create Your
Mechanical Product Catalog



 **BIM**catalogs.net

Learn How to Create Your BIM
Product Catalog



 **PART**solutions

Reduce Your Costs in
Engineering and Purchasing



126606

D-LOK

BALDOR • DODGE

Technical Data

SS (Shaft Size / mm)	45
PN (Part Number)	126606
RS (Ring Size)	209
DESCRIPTION (Description)	P2B-DL-45M
A (A / mm)	51.1
B (B / mm)	189
C (C / mm)	50.8
DMIN (D MIN / mm)	139.7
DMAX (D MAX / mm)	157.2
F (Bolt Diameter / mm)	M12
G (G / mm)	22.9
H (H / mm)	19.1
J (J / mm)	108.7
L (L / mm)	75.9
M (M / mm)	54.1
R (R / mm)	19.1
S (S / mm)	32
U (U / mm)	85.9
V (V / mm)	171.7
W (W / mm)	17.5
X (X / mm)	3

3D PDF DATASHEET

Create Your Individual 3D PDF
Datasheet



 **eCATALOG**solutions

Learn How to Create Your
Mechanical Product Catalog



 **BIM** catalogs.net

Learn How to Create Your BIM
Product Catalog



 **PART**solutions

Reduce Your Costs in
Engineering and Purchasing



126606

D-LOK

BALDOR • DODGE

Bill of Materials

N°	Name	Description	Amount
1	assembly	126606	1
1.1	p2b_pillow_block_body	209-B/	1
1.2	dl_bearings_ins_m	126634	1
1.3	405020c_m	405020c	1