

3D PDF DATASHEET



 **eCATALOG**solutions



 **BIM** catalogs.net



 **PART**solutions



Create Your Individual 3D PDF
Datasheet



Learn How to Create Your
Mechanical Product Catalog



Learn How to Create Your BIM
Product Catalog



Reduce Your Costs in
Engineering and Purchasing




136751

SC 2 Bolt Flange Bearings -(Normal Duty) -Corrosion Resistant Insert -Polymer Housed -E-Z
KLEEN

BALDOR • DODGE

3D View

To activate the interactive 3D view, you must trust this document (see hint on the top) in Adobe Acrobat and click on the question mark.



Zoom

Moves you toward or away from objects in the scene when you drag vertically. You can also zoom with the hand tool by holding down Shift as you drag.



Pan

Moves the model vertically and horizontally only. You can also pan with the hand tool: Ctrl-drag.



Rotate

Turns 3D objects around relative to the screen. How the objects move depends on the starting view, where you start dragging and the direction in which you drag.

3D PDF DATASHEET



 **eCATALOG**solutions



 **BIM** catalogs.net



 **PART**solutions



Create Your Individual 3D PDF
Datasheet



Learn How to Create Your
Mechanical Product Catalog



Learn How to Create Your BIM
Product Catalog



Reduce Your Costs in
Engineering and Purchasing




136751


SC 2 Bolt Flange Bearings -(Normal Duty) -Corrosion Resistant Insert -Polymer Housed -E-Z
KLEEN

BALDOR • DODGE

2D Derivation



ISO View




3D PDF DATASHEET

Create Your Individual 3D PDF
Datasheet



eCATALOG solutions



BIM catalogs.net



PART solutions




Reduce Your Costs in
Engineering and Purchasing

136751

SC 2 Bolt Flange Bearings -(Normal Duty) -Corrosion Resistant Insert -Polymer Housed -E-Z
KLEEN

BALDOR • DODGE

Technical Drawings



NOTES:

GREASE USED:
EXXON UNIREX N2

SEAL TYPE:
DUAL GUARD LIP SEAL
W/ RUBBERIZED FLINGER

3D PDF DATASHEET

Create Your Individual 3D PDF
Datasheet



 **eCATALOG**solutions

Learn How to Create Your
Mechanical Product Catalog



 **BIM**catalogs.net

Learn How to Create Your BIM
Product Catalog



 **PART**solutions

Reduce Your Costs in
Engineering and Purchasing



BALDOR • DODGE

136751

SC 2 Bolt Flange Bearings -(Normal Duty) -Corrosion Resistant Insert -Polymer Housed -E-Z
KLEEN


Technical Data

SERIES (Series)	204
SS (Shaft Size / mm)	20
PN (Part No.)	136751
DESCRIPTION (Description)	F2B-SCEZ-20M-PSS
W (Weight / kg)	0.24
A (A / mm)	31.2
B (B / mm)	113
C (C / mm)	36.4
D (D / mm)	89.9
F (Bolt Diameter)	M10
H (H / mm)	13.5
J (J / mm)	8
L (L / mm)	28.2
M (M / mm)	59.7

3D PDF DATASHEET



 **eCATALOG**solutions



 **BIM** catalogs.net



 **PART**solutions



Create Your Individual 3D PDF
Datasheet 


Learn How to Create Your
Mechanical Product Catalog 

Learn How to Create Your BIM
Product Catalog 

Reduce Your Costs in
Engineering and Purchasing 

136751

SC 2 Bolt Flange Bearings -(Normal Duty) -Corrosion Resistant Insert -Polymer Housed -E-Z
KLEEN



Bill of Materials

N°	Name	Description	Amount
1	assembly	136751	1