

EXP-15.DWG


REVISION: W

ECO NO.: 2086-1

DRAWN BY: J. KNOSALLA

DATE: 8/23/04

COXREELS
SERIES SH, MP, MPD AND HP



COMMON PARTS TO ALL SERIES SH, MP AND HP REELS

ITEM NO.	PART NO.	DESCRIPTION	QTY REQ'D
9	1776-3	ASSY., HUB BEARING	1
10	1620	BOLT, SHOULDER, ½"x1½"	1
12	274-1-SS	SPRING, DOG	1
14	437	WASHER, LOCK, 3/8"	1
15	184	NUT, JAM, 3/8-16	1
16	1953	CARRIAGE BOLT, 1/4-20 x 1.5"	3
17	125	NUT, KEPS, 1/4-20	7
20	245	BOLT, 10-32 x 3/8	2
21	438	WASHER, LOCK, 5/8"	1
22	3584	NUT, HEX, 5/8-11	1
23	111	NUT, LOCK, 5/16--18	3
24	312	BOLT, 5/16-18	3
25	130	NUT, KEPS, 10-32	2

ITEM NO.	PART NO.	DESCRIPTION	QTY REQ'D
26	111-1	NUT, LOCK 5/16-18, LOW PROF	4
29	1924	LOCKING RING	1
30	1755-1	WASHER, SPACER	1
31	1753	RETAINING RING (5160-75)	1
32	10220-75	BOLT, CARRIAGE, 5/16-18x3/4"	4
34	10235-SS	SETSCREW, 3/8-16x1"-SS	1
35	6440-SS	WASHER, SPACER	1
37	6441-1	WASHER, SPACER	1
38	10925-5	LABEL	1

ITEM NUMBER

MODEL NO.	1	2	3	4	5	6	* 7	* 7	* 7	* 8	11	13	18	27	* 28	36	39	40
	SPRING	DRUM	DRUM	BASE	ARM GD	SWIVEL	HOSE (STD)	HOSE (-OG)	HOSE (-RH)	HOSE GRD	CAM LK	AXLE	CLAMP (2)	ROLLER BRKT	BALL STOP	ELBOW	ADAPTER	BUSHING
SH-N-160	690-3	1703	1702	1743-2	1732	1969	5150-60	5121-60	3870-60	237-1	640-1-SS	1793	2169	1728-1	131	-	-	-
SH-N-350	690-2	1703	1702	1743-2	1732	1935	5153-50	5101-50	5045-50	237-1	640-1-SS	1793	381	1728-1	131-3	-	-	-
SH-N-360	646	1703	1702	1743-2	1732	1935	5153-60	5101-60	5045-60	237-1	640-1-SS	1793	381	1728-1	131-3	-	-	-
SH-N-375	698-1	1705	1704	1744-2	1733	1935	5153-75	5101-75	5045-75	237-1	640-1-SS	1793	381	1829-2	131-3	-	-	-
SH-N-3100	698-2	1705	1704	1744-2	1733	1935	5153-100	5101-100	5045-100	237-1	640-1-SS	1793	381	1829-2	131-3	-	-	-
SH-N-435	690-1	1703	1702	1743-2	1732	439	5154-35	5131-35	5066-35	398-1	640-1-SS	1793	383	1728-1	131-4	-	-	-
SH-N-440	691-2	1703	1702	1743-2	1732	439	5154-40	5131-40	5066-40	398-1	640-1-SS	1793	383	1728-1	131-4	-	-	-
SH-N-450	691-3	1703	1702	1743-2	1732	439	5154-50	5131-50	5066-50	398-1	640-1-SS	1793	383	1728-1	131-4	-	-	-
SH-N-475	692-2	1705	1704	1744-2	1733	439	5154-75	5131-75	5066-75	398-1	640-1-SS	1794	383	1829-2	131-4	-	-	-
SH-N-4100	656	1705	1704	1744-2	1733	439	5154-100	5131-100	5066-100	398-1	640-1-SS	1794	383	1829-2	131-4	-	-	-
SH-N-525	691-1	1703	1702	1743-2	1732	426	5155-25	5163-25	5091-25	398-1	640-1-SS	1793	384	1728-1	430	385	-	-
SHF-N-525	691-1	1703-1	1702	1743-2	1732	426	5097-25	-	-	398-1	640-1-BR	1793	384	1728-1	430	385	-	-
SH-N-535	691-1	1703	1702	1743-2	1732	426	5155-35	5163-35	5091-35	398-1	640-1-SS	1793	384	1728-1	430	385	-	-
SH-N-550	692-1	1705	1704	1744-2	1733	426	5155-50	5163-50	5091-50	398-1	640-1-SS	1794	384	1829-2	430	385	-	-

MODEL NO.	1	2	3	4	5	6	* 7		* 8	11	13	18	27	* 28	36	39	40
	SPRING	DRUM	DRUM	BASE	ARM GD	SWIVEL	HOSE (STD)		HOSE GRD	CAM LK	AXLE	CLAMP (2)	ROLLER BRKT	BALL STOP	ELBOW	ADAPTER (2)	BUSHING
MPDL-N-150	670	1703	1702	1743-2	1732	7516	-		-	640-1-SS	1794	383	1829-2	-	-	816	7540-1 (4)
MPD-N-330	670	1703-1	1702	1743-2	1732	7516	5225-30		7242	640-1-SS	1794	384	1829-2	635	-	815	7540 (2)
MPD-N-430	670	1703-1	1702	1743-2	1732	7516	5257-30		7242	640-1-SS	1794	397	1829-2	635	-	814	
MP-N-340	646	1703	1702	1743-2	1732	1935	5224-40		237-1	640-1-SS	1793	381	1728-1	131-3	-	-	-
MP-N-350	646	1703	1702	1743-2	1732	1935	5224-50		237-1	640-1-SS	1793	381	1728-1	131-3	-	-	-
MP-N-435	691-2	1703	1702	1743-2	1732	439	5256-35		398-1	640-1-SS	1793	383	1728-1	131-4	-	-	-
MP-N-440	691-2	1703	1702	1743-2	1732	439	5256-40		398-1	640-1-SS	1793	383	1728-1	131-4	-	-	-
MP-N-450	696-1	1703	1702	1743-2	1732	439	5256-50		398-1	640-1-SS	1794	383	1728-1	131-4	-	-	-
MP-N-525	691-2	1703	1702	1743-2	1732	426	5290-25		398-1	640-1-SS	1793	384	1728-1	430	385	-	-
MP-N-535	699-1	1703	1702	1743-2	1732	426	5290-35		398-1	640-1-SS	1793	384	1728-1	430	385	-	-

MODEL NO.	1	2	3	4	5	6	* 7		* 8	11	13	18	27	* 28	36	39	40
	SPRING	DRUM	DRUM	BASE	ARM GD	SWIVEL	HOSE (STD)		HOSE GRD	CAM LK	AXLE	CLAMP (2)	ROLLER BRKT	BALL STOP	ELBOW	ADAPTER	BUSHING
HP-N-140	646	1703	1702	1743-2	1732	499	5304-40		237-1	640-1-SS	1793	115	1728-1	131	-	-	-
HP-N-150	646	1703	1702	1743-2	1732	499	5304-50		237-1	640-1-SS	1793	115	1728-1	131	-	-	-
HP-N-160	699-2	1703	1702	1743-2	1732	499	5304-60		237-1	640-1-SS	1793	115	1728-1	131	-	-	-
HP-N-335	691-3	1703	1702	1743-2	1732	521	5336-35		237-1	640-1-SS	1793	613	1728-1	131-3	-	-	-
HP-N-340	699-1	1703	1702	1743-2	1732	521	5336-40		237-1	640-1-SS	1793	613	1728-1	131-3	-	-	-
HP-N-350	696-1	1703	1702	1743-2	1732	521	5336-50		237-1	640-1-SS	1794	613	1728-1	131-3	-	-	-

* ON "LESS HOSE" MODELS (SHL-/MPL-/HPL-) EXCLUDE ITEMS #7, #8, AND #28.

NOTE: MODELS SUPPLIED WITH "STANDARD" HOSE UNLESS SUFFIXED WITH "-OG" OR "-RH". USE HOSE NUMBERS AS NOTED ABOVE.

REEL ASSEMBLY REPORTS: R100 (LATCHOUT REMOVAL), R101 (LOCKING RING PLACEMENT), R112 (TIGHTENING AND TORQUING)

REVISION: W

ECO: 2086-1

DATE:

8/23/04


NAME: J. KNOSALLA

REVISION: N
ECO NO.: 2213-5
BY: M. LLOYD
DATE: 12/21/2005

REVISION: N
ECO NO.: 2213-5
BY: M. LLOYD
DATE: 12/21/2005

COXREELS

SLP & SMP MODELS



COMMON PARTS TO ALL SERIES SLP,SMP SERIES REELS

ITEM NO.	PART NO.	DESCRIPTION	QTY REQ'D
11	20300	ASSEMBLY, BEARING	1
12	312	BOLT, 5/16-18 X 3/4" LG	18
13	112	WASHER, LOCK, 5/16"	12
14	111	NUT, LOCK, 5/16-18	8
16	20194	RING, LOCKING	1
17	10218	BOLT, 5/16-18 X 2-1/2" LG	2
20	20780	SPACER	2
21	435	NUT, LOCK, 3/8-16	7
22	20000	ASSY, LOCKING BRACKET	1

ITEM NO.	PART NO.	DESCRIPTION	QTY REQ'D
23	639	BRACKET, LOCKING	1
24	1620	BOLT, SHOULDER	1
25	640	CAM, LOCKING	1
26	20019	SPRING, TENSION	1
27	113	BOLT, 1/4-20 X 1/2"	4
28	114	WASHER, LOCK, 1/2"	4
36	7460-14	TRIM, DRUM EDGE	1
37	20016	BOLT, 3/8-16 X 1"	3
38	10925-5	NAMEPLATE, PRODUCT	1

ITEM NUMBER

MODEL NO.	1	2	3	4 **	5 **	6	7	8 **	9	10	15	18	19	29**	30	31	39 *	39 *	40 *	41
	PANEL	PANEL	DISC (2)	PLUMBING	SWIVEL	SPRING	DRUM	BEARING	BAR (2)	RAIL	BOLT (3)	WASHER	R. RING	R. RING	WSHR (3)	R. BRKT	STD HOSE	FUEL HOSE	B. STOP	REDUCER
SLP-4100	20224	20222	7799	7811	439	15240	7800-7.5	20276	20244-7.5	20385-7.5	436	-	-	153	-	8100-7.5	5154-100	-	131-4	-
SLP-550	20224	20222	7799	7812	426	20462	7800-7.5	20277	20244-7.5	20385-7.5	436	-	-	15015	-	8100-7.5	5155-50	5097-50	430	-
SLP-575	20230	20228	7603-1	7812	426	15243	7800-7.5	20277	20244-7.5	20385-7.5	436	-	-	15015	-	8100-7.5	5155-75	5097-75	430	-
SLP-5100	20230	20228	7603-1	7812	426	15233	7800-7.5	20277	20244-7.5	20385-7.5	436	-	-	15015	-	8100-7.5	5155-100	5097-100	430	-
SLP-625	20224	20222	7799	7813	15257-1	20429	7816-7.5	20996	20244-7.5	20385-7.5	436	-	-	15012	-	8101-7.5	5096-25	5092-25	20214	-
SLP-650	20230	20228	7603-1	7813	15257-1	20428	7816-7.5	20996	20244-7.5	20385-7.5	436	-	-	15012	-	8101-7.5	5096-50	5092-50	20214	-
SLP-675	20236	20234	7627-1	7813	15257-1	15236	7816-7.5	20996	20244-7.5	20385-7.5	436	-	-	15012	-	8101-7.5	5096-75	5092-75	20214	-
SLP-750	20236	20234	7627-1	7814	20288	20431	7816-7.5	20281	20244-7.5	20385-7.5	436***	20264	20266	-	437	8101-7.5	5098-1-50	-	20215	1578
SLP-850	20236	20234	7627-1	7814-1	20288	20468	7816-9.5	20281	20244-9.5	20385-9.5	436***	20264	20266	-	437	8101-9.5	5099-1-50	-	20216	-
SLPL-725	20230	20228	7603-1	7814	20288	20429	7816-7.5	20281	20244-7.5	20385-7.5	436***	20264	20266	-	437	8101-7.5	-	-	-	-
SLPL-825	20230	20228	7603-1	7814	20288	15244	7816-7.5	20281	20244-7.5	20385-7.5	436***	20264	20266	-	437	8101-7.5	-	-	-	-
SLPL-835	20236	20234	7627-1	7814	20288	15244	7816-7.5	20281	20244-7.5	20385-7.5	436***	20264	20266	-	437	8101-7.5	-	-	-	-

MODEL NO.	1	2	3	4	5	6	7	8	9	10	15	18	19	29	30	31	39	39	40	-
	PANEL	PANEL	DISC	PLUMBING	SWIVEL	SPRING	DRUM	BEARING	BAR	RAIL	BOLT	WASHER	R. RING	R. RING	WASHER	R. BRKT	STD HOSE	FUEL HOSE	B. STOP	-
SMP-4100	20224	20222	7799	7811	439	15237	7800-7.5	20276	20244-7.5	20385-7.5	436	-	-	153	-	8100-7.5	5256-100	-	131-4	-
SMP-550	20224	20222	7799	7812	426	15238	7800-7.5	20277	20244-7.5	20385-7.5	436	-	-	15015	-	8100-7.5	5290-50	-	430	-
SMP-575	20230	20228	7603-1	7812	426	15236	7800-7.5	20277	20244-7.5	20385-7.5	436	-	-	15015	-	8100-7.5	5290-75	-	430	-
SMP-5100	20230	20228	7603-1	7812	426	15233	7800-7.5	20277	20244-7.5	20385-7.5	436	-	-	15015	-	8100-7.5	5290-100	-	430	-
SMPL-625	20224	20222	7799	7813	15257-1	15234	7816-7.5	20996	20244-7.5	20385-7.5	436	-	-	15012	-	8101-7.5	-	-	-	-
SMPL-650	20230	20228	7603-1	7813	15257-1	20431	7816-7.5	20996	20244-7.5	20385-7.5	436	-	-	15012	-	8101-7.5	-	-	-	-
SMPL-675	20236	20234	7627-1	7813	15257-1	15236	7816-7.5	20996	20244-7.5	20385-7.5	436	-	-	15012	-	8101-7.5	-	-	-	-

* ON "LESS HOSE" MODELS (SLPL-/SMPL-) EXCLUDE ITEMS #39, AND #40.

NOTE: MODELS SUPPLIED WITH "FUEL" HOSE (SLPF-) USE ITEM #39 HOSE NUMBERS AS NOTED ABOVE.

** WHEN USING OPTION (-BUX) FOR EXTERNAL SWIVEL ON SLPL-725 THRU SLPL-850, SUBSTITUTE THE FOLLOWING ITEMS.

ITEM #4 PLUMBING #7815 (SLPL-725 THRU SLPL-835) OR 7815-1 (SLPL-850)

ITEM #5 SWIVEL #20253-1

ITEM #8 BEARING #20257

ITEM #29 R. RING #20252

*** MODELS WITH THE 20288 REQUIRE 6 X 436 BOLTS.

REVISION: N

ECO: 2213-5


DATE: 12/21/2005

NAME: M. LLOYD

EXP-20

REVISION: S
ECO NO.: 2567
BY: G. REEDER
DATE: 12/13/07

COXREELS SERIES T



ITEM	PART	DESCRIPTION	QTY
23	1776-3	ASSEMBLY: 1" HUB BEARING	1
24	1620	BOLT: SHOULDER, ½"x1½"	1
25	274-1-SS	SPRING: LOCK DOG	1
26	437	WASHER: 3/8" LOCK	1
27	184	NUT: 3/8-16 JAM	1
28	1953	BOLT: 1/4-20 x 1 1/2" CARRIAGE	3
29	125	NUT: 1/4-20 KEPS	7
30	245	SCREW: #10-32 x 3/8"	2
31	438	WASHER: 5/8" LOCK	1
32	3584	NUT: 5/8-11 HEX	1
33	312	BOLT: 5/16-18 x 3/4" HEX	12

ITEM	PART	DESCRIPTION	QTY
34	130	NUT: 10-32 KEPS	2
35	111	NUT: 5/16-18 NYLOCK	12
36	111-1	NUT: 5/16-18 NYLOCK (LOW PROFILE)	4
37	10235-SS	STUD: 3/8-16 x 1" SS	1
38	1924	RING: LOCKING	1
39	1755-1	WASHER: SPACER	1
40	1753	RING: #5160-75 RETAINING	1
41	10220-75	BOLT: 5/16"-18 x 3/4" CARRIAGE	4
42	6440-SS	WASHER: SPACER SS	1
43	6441-1	WASHER: SPACER	1
44	10925-5	LABEL: STANDARD PRODUCT	1

ITEM NUMBER

MODEL	1	2	3	4	5	6	7	* 8			* 9	10	11	12	13	14	* 15	16	17	18	19	20	21	22
	SPRING	DRUM	DRUM	BASE	ARM	AXLE	SWIVEL	HOSE (STD)	HOSE (-OG)	HOSE (-RH)	GUARD	ARM	L. CAM	CLAMP (2)	ELBOW	BRKT.	BALL ST	SUPP.	R.RING	NIPPLE	SPACER	SUPP. BRG.	NUT (4)	WASHER (4)
TSH-N-350	690-2	1703	1702	1784	1732	1794	433	5153-50	5101-50	5045-50	237-1	1827	640-1-SS	381	-	1829-1	131-3	1740	1754	-	7511	-	-	-
TSH-N-375	698-1	1705	1704	1786	1733	1794	433	5153-75	5101-75	5045-75	237-1	1825	640-1-SS	381	-	1829-1	131-3	1741	1754	-	7511	-	-	-
TSH-N-3100	698-2	1705	1704	1786	1733	1794	433	5153-100	5101-100	5045-100	237-1	1825	640-1-SS	381	-	1829-1	131-3	1741	1754	-	7511	-	-	-
TSH-N-3125	652	1705	1704	1786	1733	1794	433	5153-125	5101-125	5045-125	237-1	1825	640-1-SS	381	-	1829-1	131-3	1741	1754	-	-	-	-	-
TSH-N-450	691-3	1703	1702	1784	1732	1794	434	5154-50	5131-50	5066-50	398-1	1827	640-1-SS	383	-	1829-1	131-4	1740	1754	-	7511	-	-	-
TSH-N-475	692-2	1705	1704	1786	1733	1794	434	5154-75	5131-75	5066-75	398-1	1825	640-1-SS	383	-	1829-1	131-4	1741	1754	-	-	-	-	-
TSH-N-4100	656	1705	1704	1786	1733	1794	434	5154-100	5131-100	5066-100	398-1	1825	640-1-SS	383	-	1829-1	131-4	1741	1754	-	-	-	-	-
TSH-N-535	695-1	1705	1704	1786	1733	1794	426	5155-35	5163-35	5091-35	398-1	1825	640-1-SS	384	385	8740	430	1712	516	-	7511	-	-	-
TSHF-N-535	695-1	1705-1	1704	1786	1733	1794	426	5097-35	-	-	398-1	1825	640-1-BR	384	385	8740	430	1712	516	-	7511	-	-	-
TSH-N-550	692-1	1705	1704	1786	1733	1794	426	5155-50	5163-50	5091-50	398-1	1825	640-1-SS	384	385	8740	430	1712	516	-	-	-	-	-
TSHF-N-550	692-1	1705-1	1704	1786	1733	1794	426	5097-50	-	-	398-1	1825	640-1-BR	384	385	8740	430	1712	516	-	-	-	-	-
TSH-N-575	8729-1	7238-1	7239	8726	1733	8728	426	5155-75	5163-75	5091-75	7242	1825	640-1-SS	384	385	8731	430	1712	516	-	-	8724	125	688
TSHF-N-575	8729-1	7238-1	7239	8726	1733	8728	426	5097-75	-	-	7242	1825	640-1-BR	384	385	8731	430	1712	516	-	-	8724	125	688
TSH-N-635	649	7238	7239	7237	1733	1794	7231-1	5096-35	-	-	7242	7232	640-1-SS	397	15338-G	8737	20214	7233	7241	7240	-	-	-	-
TSHF-N-635	649	7238	7239	7237	1733	1794	7231-1	5092-35	-	-	7242	7232	640-1-BR	397	15338-G	8737	20214	7233	7241	7240	-	-	-	-
TSH-N-650	8729	7238-1	7239	8726	1733	8728	7231-1	5096-50	-	-	7242	7232	640-1-SS	397	15338-G	8731	20214	7233	7241	7240	-	8724	125	688
TSHF-N-650	8729	7238-1	7239	8726	1733	8728	7231-1	5092-50	-	-	7242	7232	640-1-BR	397	15338-G	8731	20214	7233	7241	7240	-	8724	125	688

ITEM NUMBER

MODEL	1	2	3	4	5	6	7	*8					*9	10	11	12	13	14	*15	16	17	18	19	20	21	22
	SPRING	DRUM	DRUM	BASE	ARM	AXLE	SWIVEL	HOSE (STD)	GUARD	ARM	L. CAM	CLAMP (2)	ELBOW	BRKT.	BALL ST	SUPP.	R.RING	NIPPLE	SPACER	SUPP. BRG.	NUT (4)	WASHER (4)				
TMP-N-350	699-1	1703	1702	1784	1732	1794	433	5224-50	237-1	1827	640-1-SS	381	-	1829-1	131-3	1740	1754	-	7511	-	-	-	-	-	-	
TMP-N-375	656	1705	1704	1786	1733	1794	433	5224-75	237-1	1825	640-1-SS	381	-	1829-1	131-3	1741	1754	-	-	-	-	-	-	-		
TMP-N-3100	657	1705	1704	1786	1733	1794	433	5224-100	237-1	1825	640-1-SS	381	-	1829-1	131-3	1741	1754	-	-	-	-	-	-	-		
TMP-N-450	649	1703	1702	1784	1732	1794	434	5256-50	398-1	1827	640-1-SS	383	-	1829-1	131-4	1740	1754	-	-	-	-	-	-	-		
TMP-N-475	656	1705	1704	1786	1733	1794	434	5256-75	398-1	1825	640-1-SS	383	-	1829-1	131-4	1741	1754	-	-	-	-	-	-	-		
TMP-N-4100	658	1705	1704	1786	1733	1794	434	5256-100	398-1	1825	640-1-SS	383	-	1829-1	131-4	1741	1754	-	-	-	-	-	-	-		
TMP-N-525	691-1	1703	1702	1784	1732	1794	426	5290-25	398-1	1827	640-1-SS	384	385	8740	430	1711	516	-	7511	-	-	-	-	-		
TMP-N-535	654	1705	1704	1786	1733	1794	426	5290-35	398-1	1825	640-1-SS	384	385	8740	430	1712	516	-	-	-	-	-	-	-		
TMP-N-550	654	1705	1704	1786	1733	1794	426	5290-50	398-1	1825	640-1-SS	384	385	8740	430	1712	516	-	-	-	-	-	-	-		
TMP-N-575	8734-1	7238-1	7239	8726-1	1733	8733	426	5290-75	7242	1825	640-1-SS	384	385	8721	430	1712	516	-	-	8724	125	688	688	688		
TMP-N-650	8734	7238-1	7239	8726-1	1733	8733	7231-1	5093-50	7242	7232	640-1-SS	397	15348	8721	20214	7233	7241	-	-	8724	125	688	688	688		

ITEM NUMBER

MODEL	1	2	3	4	5	6	7	*8			*9	10	11	12	13	14	*15	16	17	18	19	20	21	22
	SPRING	DRUM	DRUM	BASE	ARM	AXLE	SWIVEL	HOSE (STD)			GUARD	ARM	L. CAM	CLAMP (2)	ELBOW	BRKT.	BALL ST	SUPP.	R.RING	NIPPLE	SPACER	SUPP. BRG.	NUT (4)	WASHER (4)
THP-N-150	647	1703	1702	1784	1732	1794	499	5304-50			237-1	1827	640-1-SS	115	-	1829-1	131	1740	1754	-	7511	-	-	-
THP-N-175	698-3	1705	1704	1786	1733	1794	499	5304-75			237-1	1825	640-1-SS	115	-	1829-1	131	1741	1754	-	7511	-	-	-
THP-N-1100	657	1705	1704	1786	1733	1794	499	5304-100			237-1	1825	640-1-SS	115	-	1829-1	131	1741	1754	-	-	-	-	-
THP-N-350	696-1	1703	1702	1784	1732	1794	521	5336-50			237-1	1827	640-1-SS	613	-	1829-1	131-3	1740	1754	-	-	-	-	-
THP-N-375	656	1705	1704	1786	1733	1794	521	5336-75			237-1	1825	640-1-SS	613	-	1829-1	131-3	1741	1754	-	-	-	-	-

* ON "LESS HOSE" MODELS (TSHL-/TMPL-/THPL-) EXCLUDE ITEMS #8, #9, AND #15.

NOTE: MODELS SUPPLIED WITH "STANDARD" HOSE UNLESS SUFFIXED WITH "-OG" OR "-RH". USE HOSE NUMBERS AS NOTED ABOVE.

REEL ASSEMBLY REPORTS: R100 (LATCHOUT REMOVAL), R101 (LOCKING RING PLACEMENT), R112 (TIGHTENING AND TORQUING)

REVISION: S

ECO: 2567

DATE: 12/13/07

NAME: G. REEDER