



- NOTES:
1. CONDUIT BOX CAN BE ROTATED IN 90° STEPS.
 2. CONDUIT BOX CAN BE MOUNTED ON OPPOSITE SIDE BY REMOVING BRACKETS AND TURNING FRAME 180°.
 3. NAMEPLATE TO BE READ FROM CONDUIT BOX SIDE OF MOTOR

DASH	FRAME	B	C	2F	AG	BS
1275	284JP	11.75	27.18	9.50	19.06	4.75
1425	286JP	13.25	28.68	11.00	20.56	5.50

				TOLERANCES UNLESS SPECIFIED		LEESON ELECTRIC MOTORS GEARMOTORS AND DRIVES		DRAWN NJS 02-20-2002	
				DEC.	TOLERANCE			CHK	DRS 03-27-2002
				.X	± .1			APPD	SB 03-27-2002
				.XX	± .03	TITLE OUTLINE - DR.PR. - CAST IRON		SCALE	
				.XXX	± .005	280JP FR. - BB - TS - DBL. - END VENT		REF	
1 NEW DRAWING				NJS	03-27-2002	DRS	.XXXX ± .0005	✓ SURFACE ROUGHNESS UNLESS SPECIFIED	MAT'L.
NO. REVISION				BY	DATE	CHK	ANG ± 7'30"	FINISH	FNF
				THIS DRAWING IN DESIGN AND DETAIL IS OUR PROPERTY AND MUST NOT BE USED EXCEPT IN CONNECTION WITH OUR WORK. ALL RIGHTS OF DESIGN AND INVENTION ARE RESERVED. THIS IS AN ELECTRONICALLY GENERATED DOCUMENT - DO NOT SCALE THIS PRINT		PURCHASED	CAD FILE SS200412LE	SHOP BOOK	PREV
				DIST	WA - LB - W - CA - OR - TX			SIZE	DRAWING NO.
								B	SS200412LE
									REV.
									1