



Product Information Packet

CDMG2310

10KW,2500RPM,DC,219ATC,DPFG,F2

Part Detail							
Revision:	G	Status:	PRD/A	Change #:		Proprietary:	No
Type:	DC	Prod. Type:		Elec. Spec:		CD Diagram:	
Enclosure:		Mfg Plant:		Mech. Spec:		Layout:	2056
Frame:		Mounting:		Poles:	00	Created Date:	02-17-2014
Base:		Rotation:	PS	Insulation:		Eff. Date:	10-28-2016
Field Type:		Literature:		Elec. Diagram:		Replaced By:	

Specs			
Frame:	219ATC		
Frame Material:	Steel		
Agency Approvals:	CSA		
Base Indicator:	Rigid		
Bearing Grease Type:	No Grease		
Drip Cover:	No Drip Cover		
Feedback Device:	NO FEEDBACK		
Heater Indicator:	No Heater		
Insulation Class:	F		
Lifting Lugs:	Standard Lifting Lugs		
Shaft Extension Location:	Pulley End		
Shaft Ground Indicator:	No Shaft Grounding		
Shaft Slinger Indicator:	No Slinger		
Motor Standards:	IEC		

Nameplate 15405



CAT.NO.	CDMG2310		MODEL NO.	T21R8006	
KW	10 KW	RPM	2500	FRAME	0219ATC
ARM VOLTS	230	ARM AMPS	43.50	WOUND	COMPOUND
FIELD VOLTS	230	FIELD AMPS	.88-1.22/1.08-.61		
FIELD CONN.		OHMS	188.5	INSUL. CLASS	F
ENCL	DPFG	DUTY	CONT	MAX AMBIENT	40
SERVICE FACTOR	1.0				
S/N		E/S	K00002A		
O.D.E. BRG.	6207	D.E. BRG.	6207	BRUSH	150986-21-1

Parts List		
Part Number	Description	Quantity
SA281202	SA T21R8006	1.000 EA
AA015370	AA T21R8006	1.000 EA
000613006NT	NAME PLATE IEC	1.000 EA
15405	ALUM CSA DC GENERATOR	1.000 EA
151128	LABEL DC GENERATOR CONN. & TERMINA	1.000 EA
MG1025N19	WILKOFAS, 778.50, RELIANCE BLUE-GREEN	0.100 GA
21010-3	ARM END LAM.	2.000 EA
032018004BK	HHCS 5/16-18X1/2 PLATED	2.000 EA
21013	FAN,INJ MOLDED,210 SERIESBLACK FIBERGLAS	1.000 EA
21016	BALANCE RING FR 21 SERIES	2.000 EA
034180050CA	KEY 3/16 SQ X 6.25	1.000 EA
032018014CK	HHCS 3/8-16X1-3/4L	4.000 EA
032018014CK	HHCS 3/8-16X1-3/4L	4.000 EA
21038-2	INTERPOLE STACK, FR 219	2.000 EA
424504006AA	SHIM PACKAGE	1.000 EA
424508100A	BALDOR ROUND DC FRAME INSULATION B/M	1.000 EA
034141137AA	SNAP RING	1.000 EA
15094	DISHED LOCKWASHER .332 ID, .865 OD	2.000 EA
032018032BK	HHCS 5/16-18X4"PLTD-250	4.000 EA
21078-6	FE BRKT MACH ATC 210FR. STANDARD FOR L	1.000 EA
HW5100A07	W2816-030 WVY WASHER (WB)	1.000 EA
032018004AK	HHCS 1/4-20X1/2 PLATED	4.000 EA
21090	TERM BOX HOLE COVER 1018 STEEL PLATE	1.000 EA
21091	GASKET TERM BOX FRAME 210	2.000 EA

Parts List (continued)		
Part Number	Description	Quantity
032018048BK	5/16-18 X 6.00 HHCS	4.000 EA
032130016AA	HSCHS	2.000 EA
034690001AC	P/PLG	2.000 EA
21075-13	ODE BRKT MACH,FR 210,LOCKED ODE BRG,FOR	1.000 EA
HA4048A05	DRIVE-IN PLUG,1.38"EXPAN.PLUG,	1.000 EA
032018004BK	HHCS 5/16-18X1/2 PLATED	2.000 EA
15094	DISHED LOCKWASHER .332 ID, .865 OD	2.000 EA
150986-21-1SP	BRUSH,210 FR. SERIES T563 NATIONAL	2.000 EA
21702-1	ROCKER RING ASSY FR 210 1 BRUSH PER BRU	1.000 EA
032018004AK	HHCS 1/4-20X1/2 PLATED	2.000 EA
032018004AK	HHCS 1/4-20X1/2 PLATED	28.000 EA
15029-1	TERM.BOX BASE FR-210 DUREX P/N:1DR	1.000 EA
15029-2	TERM.BOX COVER FR-210 DUREX P/N:D616	1.000 EA
15029-3	GASKET T BOX CVR,1/8 THK ARMSTRONG DC 20	1.000 EA
150449-25	T BOX GRD STUD ARG 1/4 20 DIA. STUD	1.000 EA
21079-1	GASKET,CVR,FAN END,FR.2103/32 THK DC205(	3.000 EA
21079-2	GASKET COVER CE FRAME 210	3.000 EA
21080-1	VENT COVER FR 21 SERIES	3.000 EA
21080-2	VENT COVER, FR 21 SERIES W-5.00	3.000 EA
MG1025G05	WILKOFAS, 789.227, MED. GRAY CHAR. MET.	1.000 GA
034180014EA	KEY 5/16X5/16X1-3/4L	1.000 EA
PA1100	PACK FOR #1 SKID; CUSTOM	1.000 EA
MG5047	VARNISH 004824-001HM	0.400 GA
LB1171	LABEL CARTON 6X6 ON LINE BLANK	1.000 EA

Product Information Packet: CDMG2310 - 10KW,2500RPM,DC,219ATC,DPFG,F2

482413009Y	#9 SLEEVING (GREEN)	6.000 FT
482413015Y	#15 SLVG	6.000 FT
482413010Y	#10 SLEEVING (GREEN)	6.000 FT
041009029E	#8 BUTT CONNECTOR	3.000 EA
041009029B	CONNECTOR, RTD	4.000 EA
041009029D	12-10BUTT CONNECTOR 350 J	3.000 EA
MN605	INTEGRAL HP DC MOTORS 2/09	1.000 EA



	FOOT MOUNTING						D.E. SHAFT EXTENSION												DRIVE KEY		FRAME						
FRAME	BA	E	2F	G	H	J	AH	AJ	AK	BB MIN.	BC	BD	THREAD	BF DEEP	N	N-W	U	V	W	KEY-SQ.	KEY-LONG	A	B	C	D	O	P
1810AT	2.75	3.75	11.00	.38	.406	1.50	2.125	7.250	8.500	.25	-	8.69	1/2-13	.75	2.90	2.77	1.125 ¹	2.50 ³	.13	.250	1.38	12.25	12.25	21.46	4.50 ²	9.00	9.00
219AT	3.50	4.25	11.00	.50	.406	2.00	2.50	7.250	8.500	.24	.25	8.75	1/2-13	1.00	3.00	2.75	1.375 ¹	2.50 ³	.25	.312	1.75	12.00	12.00	24.50	5.25 ²	10.47	10.44
258AT	4.25	5.00	12.50	.69	.531	2.25	3.00	7.250	8.500	.27	.25	8.75	1/2-13	.97	3.44	3.25	1.625 ¹	3.00 ³	.19	.375	2.31	12.38	14.00	26.50	6.25 ²	12.47	12.44
259AT	4.25	5.00	14.00	.69	.531	2.25	3.00	7.250	8.500	.27	.25	8.75	1/2-13	.97	3.44	3.25	1.625 ¹	3.00 ³	.19	.375	2.31	15.50	15.50	28.00	6.25 ²	12.47	12.44
288AT	4.75	5.50	14.00	.69	.531	2.50	3.50	9.000	10.500	.25	.25	10.75	1/2-13	.75	3.91	3.75	1.875 ¹	3.50 ³	.16	.500	2.50	15.62	15.62	32.00	7.00 ²	13.88	13.75
328AT	5.25	6.25	16.00	.81	.656	3.00	4.00	11.000	12.500	.25	.25	12.75	5/8-11	.88	4.40	4.25	2.125 ¹	4.00 ³	.15	.500	3.12	17.75	17.75	34.63	8.00 ²	15.94	15.88
329AT	5.25	6.25	18.00	.81	.656	3.00	4.00	11.000	12.500	.25	.25	12.75	5/8-11	.88	4.40	4.25	2.125 ¹	4.00 ³	.15	.500	3.12	19.75	19.75	36.63	8.00 ²	15.94	15.88

CONDUIT BOX							APPROXIMATE WEIGHT
FRAME	AA	AB	AC	AF	BS	XL	
1810AT	3/4NPT	INTEGRAL WITH ENDPLATE					195
219AT	3/4-1	7.91	6.44	2.44	9.38	3.81	260
258AT	1-1/4	9.35	7.72	2.94	9.75	4.94	366
259AT	1-1/4	9.35	7.72	2.94	11.25	4.94	411
288AT	1-1/4	11.88	9.25	5.00	12.64	7.88	566
328AT	2	12.94	10.32	5.00	13.68	7.88	775
329AT	2	12.94	10.32	5.00	15.68	7.88	884

- 1) SHAFT DIAMETERS TO 1.500 TOLERANCE +.0000 -.0005
SHAFT DIAMETERS ABOVE 1.500 TOLERANCE +.0000 -.0010
SHAFT DIAMETERS TO 1.625 RUNOUT .002 T.I.R. MAX.
SHAFT DIAMETERS ABOVE 1.625 RUNOUT .003 T.I.R. MAX.
- 2) 'D' DIMENSION TOLERANCE +.000 - .030
- 3) 'V' DIMENSION IS MAX. HUB LENGTH ON SHAFT
- 4) CONDUIT BOX CAN BE ROTATED IN 90° STEPS ON ITS OWN AXIS.
- 5) ALL DIMENSIONS NOT NOTED ARE NOMINAL DIMENSIONS CONSULT FACTORY FOR TOLERANCES.

MATL: -			
REV:	-	NEW DWG. RELEASE	
990Z		SCALE: -	BY: MBT
		FILE: CHB00004002	REVISED: 07/28/95
			TDR: 0078613

BALDOR ELECTRIC Co.

DIM SHEET, 1810ATC THRU 329ATC GENERATORS

2056

2056